RECEIVED

**CENTRAL FAX CENTER** 

MAR 0 3 2006

# BEST AVAILABLE COPY

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/711,386

Filed

Sept. 15, 2004

Atty. Docket No.

04-0567

For

Aircraft Cabin Crew Complex

Date

February 28, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

The undersigned hereby certifies that this correspondence (Spages) is being transmitted by facsimile to the Centralized Facsimile Number (571-273-8300). Commissioner for Potents, R.O. Roy, 1460, Almandeio

273-8300). Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on the date set forth below.

Virginia 22313-1450 oi

Date

David Kaplan

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

#### SUBMISSION OF POWER OF ATTORNEY

Sir:

Please accept the following power of attorney form, and statement under 37 CFR 3.73(b), in the above-referenced patent application. Applicants hereby request that all future correspondence be directed to Customer Number 44702, Ostrager Chong Flaherty & Broitman, P.C., 250 Park Avenue, Suite 825, New York, New York 10177-0899.

Respectfully submitted,

February 28, 2006

Date

Joshua S. Broitman Reg. No. 38,006

Ostrager Chong Flaherty &

Broitman P.C.

250 Park Avenue, Suite 825

New York, New York 10177-0899

Tel. No.: (212) 681-0600

## CENTRAL FAX CENTER

MAR 0 3 2006

PTO/SB/80 (04-05)

Approved for use through 11/30/2005, CMB 0651-0055

U.S. Patent and Trademerk Office; U.S. DEPARTMENT OF COMMERCE

Under the Paparawork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid CMB correct number,

FOWER	OF ATTORNEY TO PRO	DSECUTE AF	PLICATIONS E	BEFORE THE	USPTO
I hereby revoke a 37 CFR 3.73(b).	ill previous powers of attorney	given in the ap	plication identified i	in the altached sta	stement under
I hereby appoint:					
ORAHO	sociated with the Customer Number,			STORE frumber must be	110.0.5
	Name	Registration Number		च्याव	Registration
Glenn F	. Ostrager	29,963	Andrea Made	2 .	Number
Dennis	M. Flaherty	31,159	Andres Madr		40,710
	S. Broitman	38.006	Lisa N. Ben		39,905
	n K. Chong	27.621	Terje Gudme	<del></del>	32,232
Manette	Dennis	20 500	Eric Saterm		40,159
as attorney(s) or agent any and as patent appl attached to this form in	(a) to represent the undersigned being lighted being assigned only to the undersigned accordance with 37 CFR 3,73(b).	pre the United State Uned according to t	io AAL LA <b>essi</b> âliutietit i	tecords of assignment	documents
Heare change the con	espondence address for the applicat	ion identified in the	effached slatement und	or 37 CFR 3.73(b) for	
The address:	associated with Customer Number:	44702			
Firm or Individual Name Address	Ostrager Chong F	laherty & E	roitman PC		
	250 Park Avenue,				
City	New York	State NY		Zip	
Country	USA	161		1017	7-0899
Telephone	(212) 681-0600		Email	0 0 0	
ssignee Name and Add			gostrage	reocfblaw.com	<u>m</u>
	The Boeing Compar 100 N. Riverside Chicago, IL 6060	Plaza			
is heschhöusig 300	together with a statement undition in which this form is used, pinted in this form if the appoint application in which this Pow	- 4 5 5340		or equivalent) is re b) may be completed if on behalf of the	quired to be and by one of assignment
	SIGNATI	THE OF A PARTY.	to be rued.		,
grature	dividual whose signifuge and tieb is	Ei word heliogon	utherized to act on bel	balf of the assignee	
	Chamber of the Control of the Contro	The second	Da	December 2	2, 2005
	Gudmestad		Tel	Ephone (949) 7	90-1374
la collection of information	el. The Boeing Comparer required by 37 CFR 1.31, 1.32 and 1.3	) You become			_

by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This adjection is estimated to take 3 minutes to complete, including cothering, propering, and submitting the completed application from to the USPTO. Time will very depending upon the individual case. Any comments of time you require to complete this form analyse suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Department of Commence, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commits fonce for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistence in completing the form, call 1-800-PTO-9199 and select option 2.

OCF&B

U.S. Patent a	Approved for use through \$7/31/2006, OSB 6651-0 and Trademark Office; U.S. DEPARTMENT OF COMME
STATEMENT UNDER 37 CFR 3.7	
Applicant/Patent Owner. The Boeing Company	
Application No./Petent No.: See attached Filed/Issue Dete: See	a attached
Entitled:	e accaciten
The Basin e	
The Boeing Company a corporation (Name of Assignme)	0
States that it is:	mailion, parameratisp, university, government agency, etc.)
1. X the assignee of the entire right, title, and interest, or	
an assignee of less than the entire right, title and interest  (The extent (by percentage) of its ownership interest is%)	
in the patent application/patent identified above by virtue of either.	
A [X] An assignment from the inventor(s) of the patent application/patent identifies in the United States Patent and Trademark Office at Real From the reof is attached.	d above. The assignment was recorded rame or for which a copy
OR .	
B. A chain of title from the inventor(s), of the patent application/patent identified	dabove, to the current assignce as follows:
1. From:	water Officer at
Reel Frame or for which a cor	by thereof is attached,
2. From:	
2. From:  The document was recorded in the United States Patent and Tradem Reel Frame	ark Office at
of for Which a C	opy thereof is attached.
3. From:  The document was recorded in the United States Patent and Trademark  Reel Frame	
Reel Frame or for which a c	ark Office at
Additional descent to the state of the state	sopy mereor is attached.
Additional documents in the chain of title are listed on a supplemental she	
As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of a signee was, or concurrently is being, submitted for recordation pursuant to 37 CF	I title from the original owner to the
[NOTE: A separate copy (i.e., a true copy of the original essignment document) Division in accordance with 37 CFR Part 3, to record the assignment in the 302.08]	
he undersigned (whose title is supplied haltern is sulfained to acr on behalf of the	•
and the second s	
1 Professional State of the Sta	<u>December 22, 2005</u>
Terje Gudmestad	Date
Printed or Typed Name	<u>(949) 790-1374</u>
	Telephone Number
Counsel, The Boeing Company	
Title	

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or ratch a benefit by the public which is to the (and by the USPTO to process) on application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This entiretion is enfinished to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case, Any confident and tradement office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-0109 and select option 2.

200253	ST. (7.1)					101 101 101
<b>ZUUZ</b>		WIDE-BANDGAP, LATTICE-MISMATCHED	09/976,50		01 01227	
	i	WINDOW LAYER FOR A SOLAR ENERGY		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	01101221	1 0096
		CONVERSION DEVICE		İ		j
200253	A	WIDE-BANDGAP, LATTICE-MISMATCHED	10/356,02	8 31 12	03 01425	
	Ì	WINDOW LAYER FOR A SOLAR ENERGY			JO 1425	9 (0577
<del></del>		CONVERSION DEVICE	ţ			
200265	j	ANTENNA FEEDFORWARD INTERFERENCI	09/853,47	5 44 885	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
		CANCELLATION SYSTEM	_  03/035,47	э тынхауд	011809	0297
200300	{	SEMICONDUCTOR CIRCUITS AND DEVICES	09/850,77	3 00 15		
***		ON GERMANIUM SUBSTRATES	031030,77	3 08-May-0	)1 011792	0263
<b>20-065</b>	C	Liquid Hydrogen Fueled Aircraft with High Wing	20400			
1-001		Method and System for Reducing Stress			3 016149	
		Concentrations in Lap Joints	10/905,48	f   06-Jan-0	5 015532	0545
1-1048		Method and System for Utilizing Low Pressure				
		for Perforating and Consolidating an Uncured	10/404,742	2 01-Apr-0	3013938	0241
	•	Laminate Sheet in One Cycle of Operation		ļ		
1-1163	A	Ow Chamfer Appled Torme Tube				
		Low Chamfer Angled Torque Tube End Fitting	10/710,645	27-Jul-0	4 014899	0101
1-275		With Elongated Overflow Groove			į	
1-458	<del></del>	Simulation System And Method	09/865,293	25-May-0	1011860	0356
1 720		Dual-Band Multiple Beam Antenna System For	10/060,822	30-Jan-0:		0533
1-458		Communication Satellites	1		1	10000
17400	Α	Dual-Band Multiple Beam Antenna System For	11/259.913	27-Oct-0	012557	0533
1-519		Communication Satellites	}		W 12001	0000
	ļ	Electronic Network Filter for Classified	10/137,974	03-May-02	2012860	0724
1-565	ļ	Aircraft Surface Ice Inhibitor	10/161,238			0731
1-572	<u>-</u>	A Method for Detecting Foreign Object Debris	09/954,404			0635
1-704	1	: Operating Point Independent Digital Automatic	10/389,034			0775
	, ; ;	i Level Control		I - I - I - I - I - I - I	1013010	0735
1-799		Redundant Power Distribution System	10/615,705	00 1.1 02	Od ACCT	
1-926	į	Closed-Loop Pointing System with Spot Beams	10/349,294			0982
	[    }  } ቀ። ••••••••••••••••••••••••••••••••••••	and whe-Area Beams	1 1 m 1 + 0 - 2 may	22-Jan-03	013693	0930
-965	į	Method and System Having a Flowable	10/404,993	1	1010	
	į	Pressure Pad for Consolidating an Uncured	LON-UT-1990	01-Apr-03	013938	0234
		Laminate Sheet in a Cure Process		į.	<u> </u>	
-0018		Thermographic System and Method for	10071070			
		Detecting Imperfections within a Bond	10/274,273	18-Oct-02	014219	0150
-0033		Operational Ground Support System	40/045			
-0033	A	Opensianal Comments	10/847,739	17-May-04		0505
-0033	E	Carne On Luneau Court	10/711,610	28-Sep-04		0354
İ		Ground Support System	11/163,405	18-Oct-05	016655	0986
-0050	<del>}</del>	Later Department				
	}	an Uncured Laminate Sheet	10/397,003	25-Mar-03	013918	0156
0128		A Discount - A Comment				
}	, j	Modulation Scheme	10/142,461	10-May-02	012899	0867
0173		Corrected Dr. H. A.B. d.		_		
		Increased Propellant Performance From Equal	10/327,317	20-Dec-02	013618	0959
0256		volume Properlant Lanks			- + TV	
	1	Rechargeable Composite Pty Applicator	10/272,085	16-Oct-02	013704	0926
	4	vectorgeable Composite Ptv Applicator	1/186,582	21-Jul-05		
0390 🕴	į	Jual Transmission Emergency Communication	0/337,530	07-Jan-03 (		0926
0000		System		V/ Vail-V3	19044	0043
0627	fi	mproved Honeycomb Cores For Aerospace	0/236,361	NE 6 2	140070	4.50-
£	i A	Applications		06-Sep-02	J73276	0573

02-0667	*			. = : ; Jv.	S 1 1 2 2 2 1 16	1. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
02-0714		Communication System for Tracking Assets	10/310,45	7 05-Dec-	02 01355	4 0810
02-0718	4	Robust Palladium Based Hydrogen Sensor	10/382,18		03 013849	
UZ-V1 10		Optical Differential Quadrature Phase-Shift	10/281,67	~-~	02 01343	
	<del>.</del>	reyed Decoder			VIOLOTICE CONTRACTOR	• 0030
02-0889	:	Constant Vertical State Maintaining Cueing	10/613,25	3 03-64	3 01429	0250
		(5)/Siem		- 1 00-041-C	JU 1429	0258
02-0930	A	1 4 4 11 11 14 14 14 14 14 14 14 14 14 1	10/708,110	10 545	14 04 40 40	
		INERTING SYSTEM	100000,110	N IN-LAD-F	4 014318	0304
2-1095	i	Programmable Messages for Communication	10/310,27	E DE Dan O	0.00	
	<u> </u>	System having One-Button User Interface	10010,21	5 05-Dec-0	2 013554	0714
2-1096		Communications Protocol for Mobile Device	40240 404	05.0		
2-1150		On Orbit Variable Power High Power Amplifiers	10/310,481			
	į	for a Satellite Communications System	10/365,359	9   12-Feb-0	3 013764	0001
2-1189	_ <del>;</del>	VARIABLE HIGH POWER AMPLIFIER WITH				
	:	CONSTANT OVERALL GAIN FOR A	10/431,903	08-May-0	3 014060	0978
	ļ	SATELLITE COMMUNICATION SYSTEM		İ		
2-1221	· -	Serial Port Multiplexing Protocol		_i	}	
2-1231		METHOD FOR OBJECT PROTOCOL	10/310,751		2013553	0935
_ ·-• i	<u>:</u>	METHOD FOR PREPARING ULTRA-FINE,	10/707,173	25-Nov-0		
	j	SUBMICRON GRAIN TITANIUM AND	j			1-70-
	į	TITANIUM-ALLOY ARTICLES AND ARTICLES	. [		ĺ	
2-1244	j	PREPARED THEREBY	1	Į	1	
2-12 <del>64</del>	- <del> </del>	Fiber Matrix for a Geometric Morphing Wing	10/357,022	03-Feb-03	1013728	0097
2-1204	1	Resonator Box to Laser Cavity Interface for	10/396,804	24-Mar-03		0840
4200	1	. ; Chemical Laser	i		7013314	luoqu
2-1300	į	A Pattern Method and System for Detecting	10/384,037	07-Mar-03	014709	0020
	ļ.,,	Poreign Object Debris		01   14161 - 0.	1014100	0030
2-1349	<u>:</u>	Integrated Window Display	10/383,012	06-Mar-03	HOHOOR	10000
3-0030	! !	PPM RECEIVING SYSTEM AND METHOD	10/707,076	4	04444	0001
<u> </u>	; ; ;	USING TIME-INTERLEAVED INTEGRATORS	i wron, ara	19-Nov-03	U14140	0908
3-0138	<u> </u>	Capacitive Acceleration Derivative Detector	10/604,537	27 1 66		
-0192		AUTONOMOUSLY ASSEMBLED SPACE		30-10-03		0446
		TELESCOPE	10/605,797	28-Oct-03	014080	0717
-0193	Α	Fast Access, Low Memory, Pair Catalog	40500			
-0196		Method and Apparatus for Real-Time Star	10/710,177	24-Jun-04		0432
		Exclusion From A Database	10/709,346	29-Apr-04	014554	0263
0197	A	Method and Appartus For On-Board				
		Autonomous Pair Catalog Generation	10/710,178	24-Jun-04	014769	0735
0208		Variable Duct Support Assembly		•		
0271		BEAMEORAING ARCHITECTION	10/708,864	29-Mar-04	014457	0228
į		BEAMFORMING ARCHITECTURE FOR MULTI BEAM PHASED ARRAY ANTENNAS	10/707,211	26-Nov-03	014159	0794
0348						
0414			10/710,287	30-Jun-04	014796	0966
		CRYOGENIC FUEL TANK INSULATION	10/605,599	11-Oct-03		0939
0431		HOSEMBLY				
A19 1		Aircraft Secondary Electric Load Controlling	10/604,189	30-Jun-03	013766	0377
2490		System			~ 1-23 GCJ	W11
0489		GPS NAVIGATION SYSTEM WITH	10/605,890	04-Nov-03	M4400	MOFO
) For		INTEGRITY AND RELIABILITY MONITORING		US	V 14 1UU	0958
0520		Integrated Capacitive Bridge Integrated Flavors	10/953,726	20 54- 04	14555	0.4.4=
<u> </u>		Functions inertial Measurement Unit	. 4 900,720	29 Sep 04	J75837	0448
0527		Dynamic Seat Labeling and Passenger	107707 005	20		~~~~~~
i		Identification System	10/707,965	28-Jan-04	14287 j	0001

03-0684	-			4-1-1-19		171.
03-0004		The state of the s	10/904.97	8 08-Dec-	04/04542	0952
	}	Utilizing a Constant Force and Installing Rivet			3-101	+ 10902
02.0755		rasteners in a Sheet Metal Joint	<u> </u>			
03-0755		Heavy Particle Lorentz Force Accelerator	10/709,62	0 18 May	4 014623	0204
03-0835		Aircraft Archway Architecture	10/688,62		3 014625	
03-0835		- in all Alterial	29/192.05		)3 014628	
03-0835		military and the trible	10/908,14		5 014628	
03-0835		" The same and a series of the Pilitary of the same and t	20/220 00		5 014628	<del></del>
03-0885	• • • • • • • • • • • • • • • • • • •	Lightweight Composite Fairing Bar and Method	11/160,19		5 016132	
	<u></u>	tor ivanuracturing the Same	. , , , , , , , , , , , , , , , , , , ,	2 10-0011-0	1310132	0060
03-0925	<b>_</b>	Interior Seating Architecture for Aircraft	10/605,58	6 10 Ont 0	3 014040	
03-0963		MULTIPLE STAYOUT ZONES FOR GROUND	- 10/709,341	<del></del>		
		BASED BRIGHT OBJECT EXCLUSION	101103,500	23-Apr-0	4 014557	0363
03-1090		Translucent, Flame Resistant Composite	10/707,612	2 24 5 - 6	<u> </u>	
		Materials	10,101,012	24-Dec-0	3 014217	0512
03-1104	<u> </u>	Shower System	110700 740	1 00 1 = =	415	
03-1129		Unauthorized Access Embedded Software	10/708,749			
		Protection System	10/658,159	09-Sep-0	3 014496	0326
03-1138		Undercut for Bushing Retention for SLS Details	1405340	!	1	
03-1140		SLS for Tooling Applications			1014760	0698
03-1308	<u></u>	Mandrel, Mandrel Removal and Mandrel	10/710,163	<del></del>		0205
	Ì	Fabrication to Support a Monolithic Nacelle	10/907,320	29-Mar-0	015838	0315
	;	Composite Panel				
3-1471	` <del>`</del>	Extended Accuracy Variable Capacitance		i		
	!	Bridge Accelerometer	10/952,952	29-Sep-04	015855	0847
03-1526	j	Flexible Mandrel for Highly Contoured		į		
_•	•	Composite Stringer	10/904,717	24-Nov-04	015391	0571
04-0016	Ä	AN INTECRATED TRANSPORT	<u>i</u>	i		
		AN INTEGRATED TRANSPORT SYSTEM AND	10/709,777	27-May-04	014664	0676
	:	METHOD FOR OVERHEAD STOWAGE AND RETRIEVAL	· ·			
14-0054	Ā			!	; 	
, , 5504		REAL-TIME REFINEMENT METHOD OF	11/028,094	03-Jan-05	016176	0162
	į	SPACECRAFT STAR TRACKER ALIGNMENT ESTIMATES	, 1 [			
4-0070			<u></u>	Ī		
		Enhanced Pinmat for Manufacturing High-	10/904,012	19-Oct-04	015267	0039
4-0072		Strenth Perforated Laminate Sheets				1
JUIZ	•	Overhead Space Access Conversion Monument	10/708,810	26-Mar-04	014454	0789
4-0073		and Stowage and Stowage				
- 4013		Stowable Spiral Staircase System for Overhead	10/708.B55	29-Mar-04	014457	0168
1-0089		Topace Access			- (TIU)	0100
1		Determinant Assembly Features for Vehicle	10/904,802	30-Nov-04	015399	0122
1-0092	···-· <u>-</u>	Structures			- 14068	V 122
1-0097		Overhead Space Access Slowable Staircase	10/708,733	22-Mar-na	014425	0168
1-005/		: " " " " " " " " " " " " " " " " " " "	10/904,709	24-Nov-04	015301	0450
1-0137		TOCKMAL EXPANSION TO ELIMINATE	,		- 10051	WAY!
-U13/		Method to Improve Properties of Aluminum	10/939,52B	13-Sep-04	146626	0434
-0200		Alloys Processed by Solid State Joining		4-4-4-4	CCOUL	V434
-0208		Segmented Flexible Barrel Lay-up Mandrel	10/904,841	01-Dec-04	15404	0202
-0304		Mist Delivery System		24-Sep-04(		0307
0384	<b>~</b> ·	Self-Locating Feature for a Pi-Joint Assembly		30-Nov-04 (		0637
-0385		Minimum Bond Thickness Assembly Feature				0995
05		Assurance		30-Nov-04	119399	0046
-0567		Aircraft Cabin Crew Complex	0711,386	15-Sep-04 0	{	

04-0588		Articulated Separate Control of the				. L.
04-0589		Spacecran Seal and Stretcher	10/906,48		5 015694	
**** · · · · · · · · · · · · · · · · ·		Composite Shell Spacecraft Seat	I 40 MOT 40	PROJECT CONTRACTOR OF THE PARTY	15104550A	
04-0590	į	Adjustable Attenuation System for a Space F	Re- 10/907,93		5 015529	
		Litury venicle Seat	100507,83	21-Apr-0	5 015926	0242
04-0667		Airport Security System	40000			
04-0681	1	Protective Cover and Tool Splash for Vehicle	10/906,75		5 015730	
	ř	Components	10/907,78	5 15-Apr-0	5 015904	0530
04-0741		Pivot Mechanism for Quick Installation of			-	
		Stoward Ring to Detect the territory	10/905,502	2 07-Jan-0	5 015543	0015
04-0747	<u>f</u> .	Stowage Bins or Rotating Items		-		100.0
04-0765		Stowable Table	10/907,600	) (17-Apr-0	015875	0004
104.0103	- {	Layered, Transparent Thermoplastic for	11/102,401		5016303	-
04.555	- [,,	Flammability Resistance	1	An-Whist	9016303	0082
04-0791		Electromagnetic Mechanical Pulse Forming of	100005 244	104 0		
		Fluid Joints for High-Pressure Applications	10/905,211	21-Dec-0	1015477	0601
04-0793		Airplane Interior Systems		2	1	ţ
04-0805	;	Compensated Composite Structure	10/907,990			0923
04-0824	1	Aircraft Cart Transport	10/994,848	22-Nov-04		0742
04-0859	•	Aircraft Cart Transport and Stowage System	10/906,465	22-Feb-05	015825	0473
04-0893	<del>-</del>	Magnetic Null Accelerometer	10/905,007	09-Dec-04	015/20	0879
		In-Process Vision Detection of Flaws and FOI	10/904,719			
04-0914		i Dy Back Field Illumination		2-1-1-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	) (U 1998)	0395
04-09 (4	i	Aircraft Sink with Integrated Waste Disposal	10/907,625	00 4 0		
	· <b>-</b>		147007,025	08-Apr-05	U15877	0782
04-0977		Extended Accuracy Flexured Plate Dual	40007 754	-		<u> </u>
- <del></del>		Capacitance Accelerometer	10/907,751	14-Apr-05	016279	0012
04-0993		Design Methodology to Maximize the		<u> </u>		Į .
	į	Application of Direct Manufacturing	10/907,973	22-Apr-05	015933	0523
04-0993	.A	Application of Direct Manufactured Aerospace				]
		Flow Optimized Stiffener for Improving Rigidity of Ducting	11/162,261	02-Sep-05	016490	0847
04-1054	<u>.</u>				10 130	( <del>)</del>
• • • • • • • • • • • • • • • • • • • •		Electromagnetic Mechanical Pulse Forming of	11/028,093	03-Jan-05	046476	0740
04-1137	<u> </u>	Fruid Johns for Low-Pressure Applications		~~ <del> </del>	010176	0741
	·	Jet Applane Configuration	29/220 256	20 D 04	040000	
	<u>A</u>	Jet Airplane Configuration	29/220,254	28-Dec-04		0260
	B	Jet Airplane Configuration		28-Dec-04	016209	0953
4-1240		Method and Apparatus for Optically Delection	29/220,255	28-Dec-04	016210	0268
		and Identifying a Threat	11/164,414	22-Nov-05	016808	0671
4-1256		Multi-Ring System for Fuselage Formation				
4-1283	i	Integrally Damped Composite Aircraft Floor	10/907,729	13-Apr-05	15899	0016
		Panels	11/163,957	04 Nov-05 (		0779
5-0020			.]			O
5-0084		Integrated Wiring for Composite Structures	11/163,001	30-Sep-05 0	TERNE .	)244
5-0164	i	All Gait Stowage Bin		31-Oct-05 0		
0263	<u>!</u>	Multiple Attendant Galley	11/160,958	18-Jul-05 0		199
-0203	•	Universal Apparatus for the Inspection,		15-4	10213	)577
ļ 1	!	Tansportation, and Storage of Large Shell	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	15-Aug-05 0	10403	<b>1090</b>
· · ·		Siructures		!	1	
-0288		Stringer Holding Device	144/460 000			
-0300		Ceiling Illumination for Aircraft Interiors	11/162,257	02-Sep-05 0	16490 0	528
-0302	Ī	Collapsible Guide for Non-Automated Area	11/164,267	16-Nov-050	16788	183
1	1	inspections	11/161,769	6-Aug-05 0		593
-0355						
-0360	i	Interna Vibration Isolation Mounting System	11/164,309 1	7-Nov-05 0	6705	416
-0377		Renewable Superhydrophobic Coating  low Path Splitter Duct		30-Jun-05 0		
~~~~ ·	} <b>*</b>	www.rain.opinter.Divit				284
0402		Rotor/Wing Dual Mode Hub Fairing System	11/163,137	06-Oct-05 <sub>01</sub>	GOAD A	041

	Dehumidifying Radome Vent				Albert .
05-0466	Environmentally Stable Hybrid Fabric System	11/164,225		016781	0030
	!IDI-EXIGNOF Protection of an Aircraft	11/163,614	25-Oct-05		0681
05-0493	Space Depot For Spacecraft Doggester				}
05-0541	Anti-Personnel Airborne Radar Application	11/162,333	07-Sep-05	016498	0797
25-0624	An Uploaded Lift Offset Rotor System For A	11/152,474	12-Sep-05	016526	0855
·j	Helicopter System For A	11/163,414	18-Oct-05	016654	0683
05-0723	Method to Control Thickness in Composite				
	Parts Cured on Closed Angle Tool	11/164,103	10-Nov-05	016762	0663

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

□ OTHER: \_\_\_\_\_